



# Aera Shalo

THE COMPLETE FLEXIBILITY OF AERA.  
ENGINEERED FOR TIGHT SPACES.






# No More Plenum Limits

At only 2" in height, Aera Shalo preserves the performance and flexibility that define Aera—even where space is limited.

Featured Products:  
Aera Shalo 3", Adjustable, Trimless  
Via Slim 2, Pendant



# Aera Shalo



Aera Shalo extends the versatility of the Aera family to shallow ceiling applications, delivering uncompromised performance in a remarkably slim form factor. At only 2" in height, Aera Shalo fixtures preserve the family's hallmark optical precision, quiet-ceiling aesthetic, and below-ceiling serviceability across 2", 3", and 4" apertures.

**APERTURES**  
2", 3", 4"


**SHAPES**  
Round  
Square

**INSTALLATION TYPE**  
New Construction  
IC-rated / Non-IC-rated  
Chicago Plenum (CCEA)

**LIGHT DISTRIBUTION**  
Fixed  
Adjustable  
Wall Wash

**MAINTENANCE**  
Easy, Below-Ceiling  
Access and Serviceability

Field-interchangeable  
Distributions, Optics  
and Trims



When Space  
is Tight,  
Aera Shalo Fits

Aera Shalo fits perfectly within overcrowded plenums filled with electrical, IT, and HVAC systems—or in any low-plenum application.

Featured Products:  
Aera Shalo 3", Fixed, Flanged Trim  
Aera Shalo 3", Adjustable, Flanged Trim



# Every Detail, Engineered

Aera Shalo combines compact engineering with full capability, offering a comprehensive range of aperture sizes, shapes, baffles, distributions, and other features designed to meet diverse architectural needs while delivering optimal visual comfort.

### APERTURES & SHAPES



### FIXED




Fixed Light Module

### ADJUSTABLE



Adjustable Light Module with 30° Tilt and Infinite Rotation

### BEAM ANGLES




### WALL WASH



Wall Wash available with Flanged or Trimless trim options.

### BAFFLE OPTIONS



Deep Baffle (1 1/8") Standard Baffle (7/8")

2" HOUSING HEIGHT

Ceiling Thickness up to 1"

Two collar sizes — 0.5" and 1" to match ceiling depth and ensure a flush fit. Maximum overall fixture height: 3".

Light Module: Tool-Free Access. Endless Flexibility.

Self-contained light module with integrated LED source, magnetic connection (CoreConnect™ Technology) and tool-free locking design providing easy field serviceability. It enables swapping distributions between fixed, adjustable, and wall wash or interchanging beam angles on site.



### Optic Flexibility

15°, 25°, 35°, 50°, 80°, 90° and wall wash options. Field replaceable optics.

### Light Module Accessories

- Hex Louver
- Spread Lens
- Frosted Diffused Lens
- Soft Diffused Lens

### Baffle Lens

- Clear Lens
- Frosted Diffused Lens
- Soft Diffused Lens

### Trims & Baffle Options

Flanged, Trimless, Deep Baffle, Wall Wash, Cut Cone, and IP44 Wet Location options—all precision die-cast and perfectly aligned with the Aera Collection's trims and finishes.





# Aera Shalo Adjustable

## ADJUSTABILITY WITHOUT COMPROMISE

Aera Shalo Adjustable combines engineering precision with on-site flexibility. Its infinite rotation mechanism enables fast, tool-free aiming. The optical system maintains beam integrity at every angle—delivering controlled, targeted illumination exactly where it's needed.



INTEGRATED TILT INDICATOR FOR QUICK, PRECISE AIMING



Regular Baffle



Cut Cone Baffle



Featured Products:  
Aera Shalo 2", Adjustable, Trimless



Applications:

Commercial  
Retail  
Hospitality  
Residential  
Wet Locations



# AeraBlend™ Optic Design

DESIGNED FOR LOW-PLENUM ENVIRONMENTS

This advanced optical design delivers the same chromatic consistency and beam precision that define the Aera Collection—ensuring flawless color mixing, uniform distribution, and visual comfort across every aperture and configuration, all within an ultra-slim, 2" housing.



UP TO  
2200 lm

COLOR QUALITY  
95+ CRI (2-step)

LOW GLARE  
UGR < 10  
in all beams

Dim-to-Warm  
& Tunable White  
Options



# Precision Mounting for Every Ceiling

Designed for IC and Non-IC installations, Aera Shalo fits perfectly within a 2" plenum clearance. Its mounting options deliver architectural precision and installation flexibility. From flush mount bars to 6" adjustable standard bars, the Aera Shalo family installs seamlessly in drywall, grid systems, or TechZone applications.

### PLENUM CLEARANCE

2"

New Construction  
IC-rated / Non-IC-rated

Chicago Plenum (CCEA)

### CEILING TYPES

Drywall  
Grid Systems  
Techzone™ Compatible

## MOUNTING OPTIONS




Flush Mount Bars



Adjustable Standard Bar Hangers




Adjustable Commercial Bar Hangers




Adjustable Standard Bar Hangers 6" - Techzone™ Compatible



### CEILING THICKNESS UP TO 1"



0.5" Collar



1" Collar

Featured Products:  
Aera Shalo 4", Fixed Trimless



# Unlimited Adaptability

## FUTURE-PROOF MODULAR DESIGN

Aera Shalo's modular, field-serviceable design makes every component accessible from below the ceiling, trims, optics, and driver included. Its ultra-slim housing and optical module enable tool-free distribution swaps from fixed to adjustable to wall wash, with field-interchangeable optics and trims for added versatility. Built for longevity, Aera Shalo embodies true future-proof performance and is aligned with our Greenwerx™ commitment to sustainable lighting solutions.

## OPTICAL FLEXIBILITY

### Field Interchangeable Optics and Trims

## DISTRIBUTION

Easy Swap from Fixed to Adjustable to Wall Wash Distributions

## MAINTENANCE

Serviceable Driver Access

Modular Design



## EFFORTLESS MAINTENANCE

Aera Shalo's modular, field-serviceable design makes every component accessible from below the ceiling, trims, optics, and driver included.



## CORECONNECT™ TECHNOLOGY

Aera Shalo's Light Module uses CoreConnect™ Technology, a magnetic, wire-free system that enables fast, secure connection and complete field serviceability.



## SIMPLE TOOL-FREE OPTIC OR DISTRIBUTION REPLACEMENT

Easily replace optics or switch between fixed, adjustable, and wall wash distributions directly from below the ceiling.



## BELOW-CEILING SERVICEABLE DRIVER

The driver is fully accessible and serviceable from below the ceiling, ensuring easy maintenance and future ready performance.

# Aera Collection

## THE DOWNLIGHT COLLECTION THAT DOES IT ALL.

Encased in minimalist housing that complements their high-performance capabilities, the Aera Collection brings a touch of elegance to any space, featuring simple shapes, refined colors, and innovative technologies that blend style with functionality.



### AERA DOWNLIGHTS

2", 3", 4" apertures, minimalist form and outstanding performance



### NEW

### AERA SHALO

Aera Shalo — 2" housing height, 2", 3", 4" apertures, no compromise in performance




### AERA DEEP

2", 3" apertures, deep baffle, prism or smooth option, precision-engineered for low glare



### AERA CUBOID

2", 3", 4" apertures, cuboid design with exceptional performance and glare control



### AERA INFLEX

2", 3", 4" apertures, internal tilting and rotational adjustability




### AERA FLEX

3" aperture, external tilting and adjustability feature



### AERA CYLINDERS

2", 3", 4", 5", 6" apertures, minimalist design with high performance and visual comfort



Declare

# From Essential to Signature

Lumenwerx Downlight Collections



ESSENTIAL ARCHITECTURAL + EXTRAS



PERFORMANCE & VERSATILITY



PREMIUM SIGNATURE FEATURES



LOW PLENUM APPLICATION



THE SPECIALIST

	LIVV LIVV PLUS	ECANA	AERA AERA DEEP	AERA SHALO	VOILA VOILA SEAL VOILA SEAL MRI
<b>FEATURES</b>	The Essentials + The Extras: Architectural form, smart performance. IP64 rated.	Versatile, high-performance design with a powerful output. Built for balance and flexibility.	A complete family with feature-rich design, precision optics, premium control, and signature architectural details.	Aera Shalo extends the versatility of the Aera family to shallow ceiling applications.	Engineered for demanding spaces. Designed for healthcare applications.
<b>APERTURE SIZE</b>	2.5" / 3.5"	3" / 4" / 6"	2" / 3" / 4"	2" / 3" / 4"	2" / 4"
<b>SHAPE</b>	Round	Round Square	Round Square	Round Square	Round Square
<b>DISTRIBUTION</b>	Fixed Adjustable Wall Wash	Fixed Adjustable Wall Wash	Fixed Adjustable Wall Wash	Fixed Adjustable Wall Wash	Fixed Adjustable Wall Wash
<b>MAX. DELIVERED LUMENS BY SIZE (AT 3500K)</b>	1300lm / 1700lm	2100 / 2900 / 4700 lm	950 / 2100 / 2800 lm	950 / 2100 / 2800 lm	1350 / 2800 lm
<b>APPLICATION</b>	New construction Remodel	New construction Remodel	New construction Remodel	New construction	New construction
<b>HOUSING TYPE</b>	Type-IC Open Frame Type Non-IC Chicago Plenum Airtight Concrete Pour	Type-IC Open Frame Type Non-IC Chicago Plenum Airtight	Type-IC Open Frame Type Non-IC Chicago Plenum Airtight	Type-IC Open Frame Type Non-IC	Type-IC Type Non-IC Chicago Plenum
<b>PLENUM CLEARANCE BY SIZE</b>	As low as: 4"	As low as: 4" / 4 1/8" / 6"	As low as: 2"	As low as: 2"	As low as: 4"
<b>OTHER AVAILABLE CONFIGURATIONS</b>	Wet Location - IP64	Damp Location	Damp Location Cylinder, Cuboid, Flex, Inflex, Multi-aperture	Wet Location — IP44	Wet Location — IP64 Cylinder, Cuboid, MRI Construction
<b>CERTIFICATIONS</b>					



AERA SHALO  
BROCHURE



AERA SHALO  
ONLINE

