

Lumenwerx 

Cura

ONE SOLUTION TO MULTIPLE PROBLEMS





Cura

Dynamic, functional and unobtrusive, CURA balances the essential principles of patient wellness with the practical needs of today's healthcare workers. Incorporating compact design, multi-mode options, advanced lighting and control technology with precision optics. CURA was designed to address the demands of busy medical settings.



Small and Compact without Compromising Performance

Multi-mode Functions

Easy-to-clean Unit with Antimicrobial Finish

Multiple Control Options



FUNCTIONS	COLOR RENDERING OPTIONS	SIZES (COMPACT PROFILE)
Ambient	80+	L <input type="text" value="38"/>
Exam	90+	W <input type="text" value="50"/>
Reading		H <input type="text" value="5"/>
Night Light		<input type="text" value="2 25/32"/>


COLOR TEMPERATURES	CONTROL OPTIONS	FINISH OPTIONS
2700K 3000K 3500K 4000K	Independent Control Low Voltage Control Pull Switch	<input type="radio"/> Matte White <input type="radio"/> Aluminum <input type="radio"/> White Antimicrobial Silverwerx <input checked="" type="radio"/> Custom Finish
Bios Sola Duo Full Spectrum	DALI Lutron	



Optical Flexibility


Cura

ONE LUMINAIRE.
MULTIPLE FUNCTIONS.



AMBIENT

For routine monitoring, indirect ambient illumination is available in a range of programmable outputs in order to deliver comfortable lighting at the bedside.




EXAM

Wall switch-activated exam lighting offers direct and indirect illumination with an average illuminance of 110 fc on the bed.




From daytime reading to bedside examinations, Cura luminaires are thoughtfully designed to both enhance patient comfort and support practitioner tasks.



READING

Let patients read in comfort with direct reading illumination that can be specified in a range of programmable outputs (Avg. 40 fc vertical). Deep shielding offers an ideal UGR of 10 for optimized visual comfort.



NIGHT LIGHT

Discrete, indirect night light illumination, without source visibility, can be programmed to minimize the impact on circadian rhythms or for night-time observation. (Available in white or amber.)





Performance & Durability

Cura

With no visible light source, LEDs are hidden inside Cura, offering the low glare associated with high quality bedside lighting. Maintain a comfortable, practical light from head to toe.

9600
Maximum
Lumen Output

UP TO
95 lm/W

<10 UGR (Unified
Glare Rating)

ANSI-IES RP 29-16
compliance*

FUNCTION	LUMEN OUTPUT	AVG. ILLUMINANCE	UNIFORMITY (AVG:MIN)
Ambient	4200 lm	14 fc	2.19:1
Exam	9600 lm	110 fc	2.41:1
Reading	2800 lm	65 fc	1.71:1

Calculated on the bed with a 4' luminaire, 80 CRI, 3500K, mounted 6' above finish floor. In a room : 9' H x 10' W x 10' D

*ANSI-IES RP 29-16 is the recommended practice for hospitals and healthcare facilities from the Illuminating Engineering Society



1

Compact profile:
5" W x 2 25/32" H in either 38"
or 50" overall length

2

Simple installation: spring-
loaded hinges for streamlined
installation and maintenance

3

Die cast end caps:
for added durability
in high-traffic areas

4

Silverwrx powder coating
facilitates easy cleaning
and infectious disease control



HEALTHWERX
BROCHURE



CURA
ONLINE

 **Lumenwerx**

ALWAYS LIGHT
RIGHT

lumenwerx.com
R.12.2025