

Lumenwerx 

Revo

A TASK LUMINAIRE
THAT'S EASY ON YOUR EYES





Svelte Sophistication


Versatile and streamlined, our Revo collection delivers precise, textural, and comfortable task lighting for a variety of applications including above countertops, tables, and workstations to suit your daily needs.

2 Sizes and
2 Optics

UP TO
1100 lm/ft

Circadian
Friendly

UGR OF
< 10



REVO 3

REVO





Revo Collection

Revo pendants may be relatively small (2 3/8" and 3 3/8" in diameter), but they pack substantial power, equipped with low brightness reflectors and either a Miniature Reflector Optic (MRO) for the original Revo, or a Furrowed Glare Reduction Optic (FGRO) for Revo 3.



Full Spectrum LED





Optics & Performance

REVO

With three beam angle options—18 degrees, 35 degrees, and 55 degrees—Revo is the ideal choice for various applications. Unlike typical diffuser and prismatic optics, MRO offers a choice of narrow, medium, and wide downlight beams. The downlight MRO can be paired with a simple uplight optic, creating a comfortable and distinctive direct/indirect luminaire with a total of six light distribution options.


3 Beam Angles

UP TO
1100 lm/ft

UGR OF
< 10

Miniature Reflector Optic - MRO



The Lumenwerx Miniature Reflector Optic (MRO) locates individual, precisely molded Total Internal Reflector (TIR) elements over each LED emitter, and further shields the source with precise parabolic reflectors.





Revo
Collection:
Beauty
and Utility
combined





Optics & Performance

REVO 3

Revo 3 comes in direct/indirect distribution only. The direct version uses our proprietary Furrowed Glare Reduction Optic (FGRO), an acrylic lens with ribbed, convex, glare-reducing lines to shape the light distribution into a smooth beam pattern, comfortable to the eye from many ranges of view. FGRO has impeccable transmission for a glare-reducing lens of 89%. The indirect uses our Clear Lambertian Optic (CLO).

FGRO Optic

MAX LUMEN OUTPUT

1100 lm/ft

Wide Direct Beam





Overview

Revo and Revo 3

SHAPES

Round

SIZES

Revo 2 3/8"

Revo 3 3 3/8"

COLOR RENDERING OPTIONS

80+ and 90+

MOUNTING OPTIONS



Pendant

FINISHES

- Matte Black
- Matte White
- AL Aluminum
- Custom RAL

COLOR TEMPERATURES

- 2700K
- 3000K
- 3500K
- 4000K

DISTRIBUTION



Direct/Indirect

DIRECT OPTICS

Revo MRO
Revo 3 FGRO

INDIRECT OPTICS

Revo & Revo 3
Clear Lambertian Optic



Lighting the task
at hand



Revo Pendant
MRO Optic
Bicycles Quilicot
Mascouche, Québec, Canada
Photo: David Boyer

Revo's **versatility** enables it to **seamlessly complement** any aesthetic and space.



Lumenwerx Solutions

Our goal is to bring you the most suitable luminaires for your design needs with regard to performance, technology, and style. As we expand, we are happy to offer you a constantly increasing number of lighting solutions.





REVO COLLECTION
ONLINE

 **Lumenwerx**

ALWAYS LIGHT
RIGHT

lumenwerx.com
R.03.2026