

Lumenwerx 

Togo Collection

MARRY FUNCTION WITH FASHION





Marry Function with Fashion with Togo

Togo delivers generous ambient illumination from a minimal, elegant form. Nestled in a crisp 4" high opaque ring, the seamless, annular diffuser glows inwardly. The diffuser's softly rounded compound curve gives Togo a slender appearance, while delivering efficient, widespread, direct/indirect illumination.

FINISHES

9 Standard
+ Custom Colors

9000
Maximum Lumen
Output


DISTRIBUTION

Direct,
Direct/Indirect

Available with
ChromaWerx Sola,
Duo, and Quadro

SIZES

Pendant, Wall Mounting (only for 18" and 24")




Construction

Togo pendants are available in 18", 24", 36" and 48" diameters. The 4" high ring of extruded aluminum can be painted in a wide range of finishes.

The Togo driver mounts either in a ceiling canopy or remotely. In addition to a conventional power cord, Togo also offers an ultra-clean detail with integrated power-over-cable mounting.

Controls include dimming to 1% in 0-10V, line voltage, and digital protocols. Night light and emergency circuiting are available.




- 1 **Aluminum Ring**
Extruded aluminum, welded and buffed into a seamless band. Available in nine standard paint finishes or an RAL custom color.
- 2 **Flexible LED Array**
Mid-flux LEDs mount directly to the ring for optimal thermal performance. Available in four color temperatures with 90 CRI.
- 3 **One-piece Acrylic Diffuser**
Thermoformed diffuser with a tapered, compound curve minimizes the luminaire form and provides even luminosity, with up to 88% transmission.
- 4 **Mounting Plate**
Die-formed steel ring with three-point suspension secures diffuser.
- 5 **Mounting Cables**
Choice of elegant integrated power-over-cable (illustrated at right) or conventional cable and cord mounting remote driver

Power-over Cable

The integrated suspension and power-over-cable option provides an elegant mounting option without the familiar jacketed power cord. Current from the driver to the LED arrays flows through seven-strand galvanized copper conductors. A dielectric polymer coating insulates the cable which is supported by insulated holders at ceiling and luminaire mounting plate. Our standard integrated power-over-cable supports all dimming and control protocols available through the driver options without additional conductors.

MOUNTING OPTIONS

All mounting options below are available with either conventional aircraft cables and jacketed Class II power cord (CPC) or elegant integral power/suspension cables (SPC)



Canopy Mounted Driver

Canopy mounted driver is furnished in a 2" deep enclosure with a 6" or 9" diameter, depending on luminaire size. Enclosure is available in standard finishes.



Remote Mounted Driver

Remote mounted driver is furnished in a 20"x4"x2" box. Power and suspension cables are secured in a ceiling-mounted 5" x 1 5/8" wiring enclosure. Enclosure is available in standard finishes.





Togo Pendant,
Multiple Sizes





Togo Wall, 24"



Togo Wall

Togo Wall creates an arresting impression with its glowing ring of light. Available in 18" and 24" diameters, its 4" projection complies with ADA protrusion requirements.

The driver is housed in a remote-mounted enclosure suitable for accessible installation above the ceiling, behind the wall, or in a closet. Class II wiring from driver to the luminaire can run up to 50 feet.



Togo Wall, 18"



Togo Wall, 24"



Overview Togo

DISTRIBUTION

Direct
Direct/Indirect

COLOR RENDERING OPTIONS

90+ CRI (R9>50)

MOUNTING OPTIONS



COLOR TEMPERATURES

- 2700K
- 3000K
- 3500K
- 4000K
- Sola
- Duo
- Quadro
- Solid


OPTICS

Uniform Lambertian Optic

DIAMETERS

- 18"
- 24"
- 36"
- 48"

HOUSING FINISHES





Togo Acoustix
Diameter: 36 in
Felt Colors: Lichen and Café
Housing Color: White



Togo Acoustix

With its gentle curves, sound-dampening technology and a single-piece seamless external luminaire, the Togo Pendant offers the best of form and function. Thanks to dual-purpose powered aircraft cable, the pendant appears to float in mid-air, offering low glare illumination and acoustic dampening that will enhance any space.



Togo Acoustix

Flexible Design
in 3 Size Options

UP TO
85 lm/W
Illumination

9000
Maximum Lumen
Output

10 Aluminum
Housing Finishes

30+ Felt
Finish options

OPTION



Blank with acoustic only



Togo Acoustix
Felt Color: Latte
Housing Color: Black



Declare.



Overview

Togo Acoustix


DISTRIBUTION

Direct Only

COLOR RENDERING OPTIONS

90+ CRI (R9>50)

MOUNTING OPTIONS



COLOR TEMPERATURES

- 2700K
- 3000K
- 3500K
- 4000K

- Sola
- Duo
- Quadro

OPTICS

Uniform Lambertian Optic

DIAMETERS

24"
36"
48"

HOUSING FINISHES

- Matte White
- Matte Black
- Aluminum
- Red
- Blue
- Orange

- Yellow
- Magenta
- Green

- Custom RAL

MADERA COLORS

NEW

- Natural Oak
- Teak
- Beech
- Grey Ash

STANDARD FELT COLORS

- Frost White
- Lavender
- Fog
- Latte
- True Black
- Iron
- Plum
- Midnight Blue
- Cherry
- Forest Green

PREMIUM FELT COLORS

- Blush
- Ivory
- Café
- Lichen
- Lime
- Cloudy
- Evergreen
- Greige
- Espresso
- Blueberry
- Orange
- Graphite
- Carbon
- Steel
- Charcoal
- Navy
- Sky
- Paprika
- Lemon





TOGO COLLECTION
ONLINE



ACOUSTIX COLLECTION
BROCHURE

